

Solopharm Product Catalog

Retail segment



Contents

Solopharm Company	4
Liquid Plant. Production of liquid dosage forms	8
Solid Plant. Production of solid dosage forms	10
Biotech. Development of biotechnological products	12
Food supplement. Production of food supplements	14
ANTISEPTICS	16
Zilexa sept	16
MestaMidin-sens	18
FOOD SUPPLEMENTS. GASTRO	20
Actoflor-duo	20
Actoflor-S	21
Viascon	21
FOOD SUPPLEMENTS. STICK PACKS	22
Magnesium Active	22
Lifozil	23
Chitosan Active	23
Lacart / Lacart Plus	24
Taprit / Taprit Plus	25
Rimink	26
Trieksin®	27
ELENTRA NUTRITION®. FOOD	28
SUPPLEMENTS IN CAPSULES	
INFUSION SOLUTIONS	38
Glucose-Solopharm	39
Sodium Chloride-Solopharm	39
Movifloyacin-Solonharm	30

RX — prescription medicines	MD — medical devices
OTC — over-the-counter medications	FS — food supplements

INJECTION SOLUTIONS	40	Gelangin® nova	59
Sodium Chloride-Solopharm	40	lvilekt	60
Pentoxifylline	40	Naphthyzine	60
Glucose	40	Babyfrin®	61
Meldonium-Solopharm	40	Ryxint Rhino	61
Magnesium Sulfate	41	Xylokt®-Solopharm	62
Potassium Chloride	41	Oxyfrin	62
Riboxin	41	Naximin	63
Piracetam	42	Ropaxim	63
Water for injection	42	Olyfrin	64
Novocaine	42	MestaMidin®-nasal	65
Lidocaine	42	Rhinostain®	66
Diclofenac-Solopharm	43	Tramycent	67
Ketorolac-Solopharm	43	LinAqua	68
Calcium Gluconate-Solopharm	43	Lorotox®	70
Drotaverine-Solopharm	43	Niatira	71
		Otolorin	71
COSMETOLOGY	44		
Bellarti® Hydrate	45	OPHTHALMOLOGY	72
Bellarti® Lift	46	AquaOptic	73
Bellarti® Estilla	47	Gylan comfort / ultra comfort	74
NEUROLOGY	48	Gylan [®] extra	74
Artogystan	49	Biviart® soft / comfort / ultra	77
Larigama®	50	Dorzial	78
Lidamitol	51	Dorzial plus	78
Elox Solopharm	52	Oloridine	79
Rikling	53	Ocusalin	79
Encetron-Solopharm	54	Ivinac®-Solopharm	80
Evrin	55	Trilaktan®	81
LVIIII		Dorzolan® solo	82
OTORHINOLARYNGOLOGY	56	Pictorid-Solopharm	82
Angidak®	56	Oftarint	83
Angidak® sept	57	Sigida duo / crystal	83
Angidak® forte	57	Diclofenac-Solopharm	84
Gelangin® flex	58	Korfecin-Solopharm	84

Timolol-Solopharm	8
Betaxolol-Solopharm	8
Cromicil®-Solopharm	8
Oftrix	8
Lafrax	8
Travaxal	8
Soloseptin sens	8
Stelfrin supra	8
Phenycamide	8
Sodium Sulfacil-Solopharm	8
Taflarint	8
Timilox®	8
Taustin	9
Exinta®	9
Vicsipin®	9
PULMONOLOGY	9
Astmasol® broncho	9
Astmasol® neo	9
Ingasalin®	9
Ingasalin® forte	9
Beraxol-Solopharm	9
Novatron / Novatron neo	9
RHEUMATOLOGY	9
Armaviscon®	9
Artavisk	1
Sintalon	1
ACT Solopharm®	1
THERAPY	1
DeTriFerol	1
Trekrezan®	1
Picodinar	1
Tricombia	1
0.1	





Solopharm is one of the largest Russian pharmaceutical companies producing medicines, medical devices in liquid and solid dosage forms, and food supplements in capsules and stick packs.

All Solopharm production sites are built in accordance with GMP standards:

- > Liquid Plant
- > Solid Plant
- > BioTech
- > Food Supplement

- Solopharm has been awarded the status of a strategic enterprise of the pharmaceutical industry of Russia¹
- **16th place** in the Forbes ranking²
- The fastest growing company in the OTC segment³
- Solopharm geography counts 14 countries beyond Russia and 85 regions within the country
- No. 1 in terms of growth rates in e-com4
- **TOP 10** corporations by growth in the retail commercial market⁵
- 4th place among domestic manufacturers in terms of share growth⁶
- No. 1 in terms of the growth rate of medical prescriptions⁷

Solopharm is a team of more than 1800 professionals

united by one goal: to create high-quality domestic medicines.

To do this, the company implements the most advanced production technologies and develops new therapeutic areas.

- 1. List of strategically important enterprises
- or the Hussian Federation 2020

 2. Forbes rating. 20 best pharmaceutical companies of the Russian Federation 2021

 3. According to IQVIA, DSM Group, 2021

 4. According to AlphaRM, by the end of 2022

- 5. According to AlphaRM, 2022 6. According to DSM Group, 2022 7. According to Ipsos, Q1 23-Q2 22



- Q Solopharm has more than 220 market authorization certificates in its portfolio and more than 250 medicines are under development and registration.
 - In-house R&D department, analytical and microbiological laboratories provide full-cycle of pharmaceutical development: from the idea to the launch of technology into industrial production.
- Solopharm has its laboratories that monitor the quality of incoming raw materials at all stages of production and conducts quality control of final products.





2011 / July 11

Groundbreaking of the liquid dosage form plant

2014 / June 11

Launch of the 1st stage. The 1st series of infusion solutions are released

2015 / July 13

Launch of the 2nd stage. Production of ophthalmic and nasal products in multidose form

2017 / April 21

Launch of the 3rd stage —10 new production lines. The GMP certificate is received

2020 / January 27

Opening of a new office in Moscow

2020 / February 17

Launch of the MDI aerosol production line at the liquid dosage form plant

2020 / September 4

Groundbreaking of the solid dosage form plant

2021 / March 4

Opening of the laboratory of biotechnological developments and PSS (pilot-scale site)

2021 / December

Launch of the new food supplements plant. 1st stage — stick packs

2022 / April 29

Launch of the solid dosage form plant (tablets and capsules)

2023 / April

Launch of the 4th stage of the liquid dosage form plant. Increasing the manufacturing facilities

2023 / April

Launch of Matrix Wall, a new Solopharm project — production site for design, manufacture, and installation of clean rooms

2023 / April

Launch of the 2nd stage of the food supplements plant. Production of food supplements in capsules

2023 / June 20

Groundbreaking of the Hormones plant (production of hormonal drugs)

HORIZONS OF DEVELOPMENT

2023 / IV quarter

Launch of the 1st stage of the soft dosage form plant (ointments and gels)

2025 / IV quarter

Launch of the 2nd and 3rd stages of the soft dosage form plant and soft gelatine capsules production

2026 / I quarter

Planned launch of the Hormones plant



RELEASE FORMS

- OSD bottles
- multidose bottles
- Polyflac (BFS infusion bottles)
- pre-filled syringes
- BOV aerosols
- MDI aerosols
- BFS unidoses
- metered drops
- metered sprays
- glass bottles
- BFS injection ampoules
- CBP injection ampoules
- etc

21 500 m²

total area of the plant

8 248 m²

clean room floor area

3,14 MW electrical power of production

28

production lines

>190

positions of medicines and medical devices

240 million packages per year

THERAPEUTIC AREAS

- > hematology
- > infections
- cosmetology
- > neurology
- > otorhinolaryngology
- > ophthalmology
- > ophthalmosurgery
- > pulmonology
- > rheumatology
- > dentistry
- > therapy
- > surgery



RELEASE FORMS

- capsules
- capsules with extended release
- tablets
- oro-dispersible tablets
- gastroresistant tablets
- film-coated tablets
- tablets with extended release
- eta







12 257 m²

total floor area of the plant

 $9600 \, \text{m}^2$ clean room floor area

2 MW electrical power of production

1

production line

109

medicines under development and registration

6

medicines in production

23 million packages per year

THERAPEUTIC AREAS

- > allergology
- > gastroenterology
- cardiology
- > neurology
- > antiviral therapy
- > psychiatry
- > pulmonology
- > rheumatology
- > urology
- > endocrinology







Development of biotechnological products

THERAPEUTIC AREAS

- Oncology
- **Autoimmune diseases**
- Ophthalmology



1 300 m²

total area

total area

of laboratory facilities

production line

 $448\ \mathsf{m}^{_2}$

clean room floor area

laboratories:


- > bioprocess development
- > analytical methods


170 m²

projects under development

BioTech laboratories are fit up with high-quality equipment by the world manufacturers:

- bioreactor systems
- cryostorages
- chromatography systems, etc.





2 release forms

Capsule:

- > The usual form of food supplement administration
- > High quality
- > Convenience of administration

Stick pack:

- > Individual single dose
- Dose accuracy in combination with liquid form
- > Convenient to "Take & Go"

1 077 m²

total production area

3

production lines

 $667 \, \mathsf{m}^{_2}$

clean room floor area

51

positions in production

1,5 MW

electrical power of production

1,6 million

packages per year

 Solopharm sets the same high-quality requirements for food supplements as for medicines, starting with active pharmaceutical ingredients and equipment ending with quality control



ZILEXA SEPT







Composition:

Benzyldimethylmyristoylaminopropylammonium 0,01 %



Release form:

spray 50, 150 ml No. 1

Dosage form:

topically applied solution



- > Provides bacteriocidal, antiviral and antifungal effect
- > 50 ml bottle is convenient to carry
- > 150 ml bottle is convenient for home use, also two nozzles are included — spraying device and cannula





Provides bacteriocidal, antiviral and antifungal effect







Composition:

ZILEXA

OTC

SEPT intim

0+

Benzyldimethylmyristoylaminopropylammonium 0,01 %



Release form:

dropper bottle 50 No. 1

Dosage form:

topically applied solution



- > Provides bacteriocidal, antiviral and antifungal effect
- > 50 ml bottle is convenient to carry
- > It has two nozzles gynecological and urological



Indications for use

- > otorhinolaryngology: complex treatment of acute and chronic external otitis, sinusitis, tonsillitis, laryngitis, pharyngitis
- > dentistry: treatment and prevention of infectious and inflammatory diseases of the oral cavity: stomatitis, gingivitis, periodontitis
- > **surgery:** prevention of suppuration and treatment of purulent wounds
- > dermatology: treatment and prevention of pyoderma and dermatomycosis, candidiasis of the skin and mucous membranes, athlete's foot




Indications for use

> **obstetrics and gynecology:** prevention and treatment of suppuration of postpartum injuries, ostpartum infections, inflammatory diseases

Universal antiseptic intim + antibacterial + antibacterial + antibacterial topically applied solution 0.01 %

- > urology: complex treatment of acute and chronic urethritis and specific urethroprostatitis and non-specific etiology
- > venereology: individual prevention of sexually transmitted diseases









0+

Dosage form: solution for local and external use



Personal



Release form:

bottle with folding cannula 50, 150 ml

Indications for use

> for irrigation of the mucous membranes of the mouth, nose and throat, as well as for use in urology and gynecology



Release form:

dropper bottle 50, 100 ml

Indications for use

> urology and gynecology



Daily



Release form:

bottle with spray device 50, 150 ml

Indications for use

> for irrigation of mucous membranes and skin



XXL



Release form:

bottle 1000 ml No. 12

Indications for use

> for use in medical institutions





Indications for use

- > helps to reduce heartburn, normalizes the acidity of gastric juice, improves digestion
- > additional source of calcium, soluble dietary fiber (alginates)

0 2

30 BFS unidose

SOLOPHARM

ctoflor-

ACTOFLOR-DUO

18+



FS





Composition:

amino acids, vitamins B₂ and B_a in the complex with succinic acid



Release form:

capsules in jar No. 30, a set of two jars



- > Increases the vitality of the body and strengthens the immune system
- > Provides a positive effect on the state of the nervous system by regulating mental activity, mood and sleep



Indications for use

- > promotes the restoration of intestinal microflora
- > helps prevent side effects of taking antibiotics

- > promotes the improvement of metabolism
- > increases the body's overall resistance to infections and stress

VIASCON







Composition:

sodium alginate, calcium carbonate, sodium bicarbonate



Release form:

stick packs 10 ml No.12

Dosage form:

liquid for oral administration



- > Contains soluble dietary fiber, which promotes the elimination of toxins from the body
- > Creates a protective barrier on the surface of the gastric contents, preventing the occurrence of reflux

ACTOFLOR-S







Composition:

a complex of amino acids and organic acids — analogues of metabolites of probiotic bacteria



Release form:

BFS unidose 2 ml No. 30

Dosage form:

solution for oral administration



- > Stimulation of growth of own intestinal microflora
- > Increase of physiological activity
- > Protection against pathogenic microorganisms



MAGNESIUM ACTIVE



18+





Dosage form:





Indications for use

- > relieving nervous tension
- > maintaining brain function during intellectual and neuro-emotional stress



Indications for use

- > reduction of absorption of carbohydrates and fats
- > normalization of digestive processes

LIFOZIL





Composition:

hesperidin 50 mg, diosmin 450 mg, vitamin C 90 mg, grape seed extract



Release form:

stick packs 10 ml No. 14

Dosage form:

liquid for oral administration



> Grape seed extract helps strengthen the walls of blood vessels

CHITOSAN ACTIVE



inulin 833,3 mg, pectin 150 mg, chitosan 150 mg



Release form:

stick packs 10 ml No.30

Dosage form:

liquid for oral administration



- > Comprehensive bowel support in a convenient liquid form
- > Three types of dietary fiber in the composition

LACART





vitamin D₃ 200 ME vitamin K. 20 mcc

Release form:
stick pack 10 ml No. 14, 28

Dosage form:liquid for oral administration

> Liquid calcium in organic mineral form for effective absorption

> In the complex with vitamins K, and D.

LACART PLUS



Composition: calcium 850 mg

vitamin D₃ 600 ME, vitamin K₂ 150 mcg

Release form: stick pack 10 ml No. 14, 28

Dosage form:liquid for oral administration

> Easily digestible liquid form

> Enhanced dosages



Indications for use

- > for healthy work of spine and joints
- > strengthening bones and teeth



Indications for use

> strengthening of musculoskeletal tissue



Indications for use

- > prevention of anemia
- > saturation of the body with energy



Indications for use

- > prevention of anemia
- > saturation of the body with energy

TAPRIT



Composition: iron 8 mg, vitamin C 60 mg, B vitamins

Release form: stick packs 10 ml No.14, 28

Dosage form: liquid for oral administration

- > Chelated form of divalent iron with minimal risk to the gastrointestinal tract
- > Increased bioavailability
- > In combination with vitamins B and C

TAPRIT PLUS



iron 40 mg, vitamin C 360 mg, B vitamins

Release form: stick packs 10 ml No.14, 28

Dosage form: liquid for oral administration

> Easily digestible liquid form

> Enhanced dosages

RIMINK




18+

Composition:



Release form:


Dosage form:



LIPOSOME

Prevents premature destruction of vitamins

Protects vitamin from the effects of the gastrointestinal tract environment



Release form:

TRIEKSIN®

Composition:

vitamin C 900 mg

stick packs 10 ml No.14, 28

Dosage form:

liquid for oral administration





Indications for use

- > strengthening immunity
- > improving the condition of the musculoskeletal system



Indications for use

- > vitamin C deficiency in the body
- > strengthening immunity
- > maintaining skin health
- > tissue growth and healing





- > Liposomal vitamin C 900 mg to support immunity
 - > Liposomal form promotes better absorption of vitamin C, protects it from destruction in the gastrointestinal tract

Elentra Nutrition®



Indications for use

- > relieving nervous tension
- > improving sleep quality
- > serotonin formation

Iron + Vitamin C 20 mg | + | 90 mg |

Elentra Nutrition® is a synergy of science, high-tech production of the pharmaceutical company and strict pharmacopoeia standards that ensure the achievement of impeccable product quality

Elentra Nutrition® is represented by a wide range of nutrients for the most diverse needs of a modern human

Reliability and quality of packaging

induction sealing ensures complete safety of the product

European quality bottle

Indications for use

- > maintenance of iron metabolism
- > increasing energy levels and improving oxygen metabolism

5-HTP + VITAMIN B₆



18+



Composition:

hydroxytryptophan (5-HTP) 100 mg, vitamin B₆ 6 mg



Release form:

capsules in jar No. 60



- > The synergy of 5-HTP and vitamin B₆ components has a better effect on stress and anxiety
- > Vitamin B₆ is a cofactor in the process of converting 5-HTP into serotonin
- > Small capsule size
- > Once daily administration

IRON + VITAMIN C

FS

18+



Composition:

iron 20 mg, vitamin C 90 mg



Release form:

capsules in jar No. 60



- > The organic chelated salt of the mineral helps to minimize the risk of exposure to the stomach and a higher rate of absorption among other salts
- > Gastro-resistant capsules with extended release



COENZYME Q₁₀ + **VITAMIN C**



18+



Composition:

coenzyme Q₁₀ 100 mg, vitamin C 20 mg



Release form:

capsules in jar No. 30



- > Vitamin C enhances the action of coenzyme Q₁₀ and improves its absorption
- > Small capsule size



Indications for use

> promotes the maintenance of the function of heart and blood vessels, renewal of skin cells



Indications for use

- > comprehensive maintenance of thyroid functions

> increasing mental activity

ZINC + SELENIUM

IODINE + TYROSINE

18+

iodine 225 mcg, tyrosine 500 mg

> The synergy of iodine and tyrosine forms a complex effect to maintain the functioning

FS

Composition:

Release form: capsules in jar No. 60

of the thyroid gland

> The optimal dosage of iodine



18+



Composition:

zinc 15 mg, selenium 75 mcg



Release form:

capsules in jar No. 30



- > The organic chelated salts of the mineral help to minimize the risk of exposure to the stomach and a higher rate of absorption among other salts
- > Small capsule size
- > Once daily administration

MAGNESIUM CHELATE



18+



Composition:

magnesium chelate 90 mg



Release form:

capsules in jar No. 90



30

> The organic chelated salt of the mineral, magnesium bisglycinate helps to minimize the risk of exposure to the stomach and a higher rate of absorption among other salts



Indications for use

- > maintenance of the function of heart and blood vessels
- > helps relieve muscle spasms



Indications for use

> promotes the strengthening of immunity, health of hair, nails, skin















CHITOSAN + CHROMIUM





chitosan 500 mg, chromium 83 mcg



capsules in jar No. 90

- > The organic salt of the mineral helps to minimize the risk of exposure to the stomach and a higher rate of absorption among other salts
- > Natural source of chitosan seafood



Indications for use

- > a combination to maintain metabolism
- > helps reduce the absorption of carbohydrates and fats

B COMPLEX

- > The complex includes all the necessary B vitamins to maintain the body in a healthy state
- > A set of two products for morning and evening administrations

18+

Composition: B vitamins

Release form:

capsules in jar No. 30, two jars "morning" and "evening"

18+

L-LYSINE -

- > Stimulates collagen production and supports the immune system
- > The amino acid in free L-form contains the optimal level of consumption for adults per day



Composition: L-lysine 500 mg

Release form:

FS

capsules in jar No. 60

18+ Composition: glucosamine 290 mg, chondroitin 315 mg Release form: capsules in jar No. 90 FS 18+ Composition: chondroitin 315 mg, glucosamine 290 mg, methylsulfonylmethane (MSM) 135 mg Release form: capsules in jar No. 90 FS 18+ **Composition:** vitamin B₇ 150 mcg Release form: capsules in jar No. 60



- > Promotes the natural processes of maintaining bone and cartilage tissues and improving the condition of the musculoskeletal system
- > Optimal dosages for starting support of the musculoskeletal system

CHONDROBASE® MSM

> Helps to maintain joint mobility and natural

> Sulfur (source of Methylsulfonylmethane (MSM))

has an anti-inflammatory effect in combination

renewal of cartilage tissue

BIOTIN

hair and nails

with glucosamine and chondroitin

INOSITOL

- > Promotes the metabolism of carbohydrates and lipids, supports the healthy functioning of the nervous system
- > The optimal level of consumption for adults per day



18+



Composition: inositol 500 mg



Release form: capsules in jar No. 60

POTASSIUM + MAGNESIUM ASPARTATE

- > Maintenance of the function of heart and blood vessels
- > Optimal preventive dosages



18+

Composition:

FS

potassium aspartate 100 mg, magnesium aspartate 50 mg



Release form: capsules in jar No. 120

MAGNESIUM + VITAMIN B₆

- > Promotes concentration and memory improvement, supports the function of heart and blood vessels
- > Vitamin B₆ potentiates the action of magnesium, transfers magnesium inside the cell




18+

Composition:

magnesium 80 mg, vitamin B₆ 2 mg

Release form:



INDOLE-3-CARBINOL

> Promotes the maintenance of healthy skin,

> The optimal dose of biotin for adults per day

> Convenient once daily administration of vitamin B₇

- > Provides a beneficial effect on the state of the reproductive system of both women and men
- > The optimal level of consumption per day for adults

MAGNESIUM + CALCIUM CHELATE

- > Helps strengthen bones and supports the function of heart and blood vessels
- > The chelated form of magnesium provides a higher rate of absorption, with minimal risk of exposure to the gastrointestinal tract



18+



magnesium chelate 50 mg, calcium chelate 100 mg

Release form:

capsules in jar No. 90



FS

Composition:

Release form:


18+

indole-3-carbinol 300 mg











Composition:

zinc picolinate 25 mg

Release form: capsules in jar No. 90

ZINC PICOLINATE

- > Helps strengthen the immune system
- > The organic chelated salt of the mineral helps to minimize the risk of exposure to the stomach and a higher rate of absorption among other salts

LIPOSOMAL D₃+K₂

> Liposomal complex D₃+K₂ for the maintenance of the musculoskeletal system



FS

Composition: vitamin D₃ 15 mcg, vitamin K₂ (menaquinone) 180 mcg

18+



Release form: capsules in jar No. 60



18+



Composition:

chromium nicotinate 250 mcg



Release form:

capsules in jar No. 90

CHROMIUM NICOTINATE

- > Helps optimize carbohydrate metabolism and maintain energy metabolism
- > An organic salt of the mineral is used nicotinate, which has increased bioavailability
- > In the presence of nicotinic acid, chromium absorption increases several times, contributing to the maintenance of carbohydrate and energy metabolism


D-MANNOSE TRIO

> Comprehensive maintenance of the urinary tract health



18+

NEW



cranberry

FS



Release form:



capsules in jar No. 60



Composition: zinc 12,5 mg

Release form: capsules in jar No. 60

LIPOSOMAL ZINC

> Prevents disturbances in the work of enzyme systems and the metabolic system: protein, carbohydrate, mineral and energy


INDOLE-3-CARBINOL + **BROCCOLI EXTRACT**

> Maintaining the health of the reproductive system









indole-3-carbinol 300 mg, broccoli extract



Release form: capsules in jar No. 60



い L M

38

Infusion solutions in POLYFLAC polymer bottles

GUARANTEE OF STERILITY

Final sterilization in 20 minutes at 121 °C

BFS TECHNOLOGY (Blow-Fill-Seal)

INERT MATERIAL

Durable, lightweight and convenier



convenient loop for hanging additional free volume of at least 20 % calibration scale one or two separate sterile ports, closed with protective polypropylene caps

POLYPROPYLENE BFS INFUSION BOTTLES

Infusions are manufactured in one Blow-Fill-Seal cycle — advanced sterile filling technology

Sterile solutions in polymer packaging — a modern standard on the global pharmaceutical market

- > fully self-collapsible bottle
- > stable, due to the flat bottom
- > does not contain polyvinyl chloride
- > there is no risk of injury
- > convenient to store and transport
- > has a small package weight







GLUCOSE-SOLOPHARM



Dextrose 5 %

BFS infusion bottle 200, 400 ml

Solution for infusions

SODIUM CHLORIDE-SOLOPHARM 0,9 %





Rehydrating agent

BFS infusion bottle 200, 400 ml

Solution for infusions

MOXIFLOXACIN-SOLOPHARM 1,6 mg/ml





Antimicrobial agent — fluoroquinolone

BFS infusion bottle 200, 250, 400 and 500 ml


Solution for infusions

Solopharm injection solutions

are produced in polyethylene ampoules manufactured using modern BFS technology, recognized in the world as the most advanced for the production of sterile medicinal solutions

ADVANTAGES:

- The use of medicines in BFS polyethylene ampoules is convenient and safe for patients and medical workers
- Convenient opening without contamination due to the ergonomic valve
- No additional needle required
- High speed of injection due to the ease of opening
- Reliable marking applied directly to the ampoule



POLYETHYLENE BFS AMPOULES

(Blow-Fill-Seal) is a needle-free drug intake

BFS technology

allows producing a container for a solution of polyethylene, filling and sealing it using one machine

The process, protected by injected sterile air and special filters, takes place without human intervention, which makes it possible to provide the necessary aseptic conditions

SODIUM CHLORIDE-SOLOPHARM 0,9 %

Rehydrating agent

BFS injection ampoules 5 ml No. 5, 10

- Solvent for injection preparation

PENTOXIFYLLINE 20 MG/ML

Vasodilating agent

BFS injection ampoules 5 ml No. 10

Concentrate for preparation of solution for infusions

GLUCOSE

RX

Dextrose 400 mg/ml

Means of carbohydrate nutrition

BFS injection ampoules 10 ml No. 10

Solution for intravenous administration

MELDONIUM-SOLOPHARM 100 MG/ML

RX

Metabolic agent

BFS injection ampoules 5 ml No. 10

Solution for injection

MAGNESIUM SULFATE 250 MG/ML

RX

Vasodilating agent

BFS injection ampoules 5, 10 ml No. 10

Solution for intravenous administration

POTASSIUM CHLORIDE 40 MG/ML

RX

Potassium preparation

BFS injection ampoules 10 ml No. 10

Concentrate for preparation of solution for infusions

RIBOXIN

Inosine 20 mg/ml

Metabolic agent

BFS injection ampoules 5, 10 ml No. 10

Solution for intravenous administration



42

POLYETHYLENE BFS AMPOULES a needle-free drug intake shake the ampoule, holding the neck with rotating movements, turn and separate the valve connect the syringe with the ampoule turn the ampoule over

and draw the contents up into the syringe

PIRACETAM 200 MG/ML

RX

Vasodilating agent

BFS injection ampoules 5 ml No. 10

Solution for intravenous injection

WATER FOR INJECTION

RX

Solvent

BFS injection ampoules 5, 10 ml No. 5, 10

Solvent for injection preparation

NOVOCAINE

RX

Procaine 0.5 %

Local anesthetic

BFS injection ampoules 5 ml No. 10

Solution for injection

LIDOCAINE 20 MG/ML



RX

Vasodilating agent

BFS injection ampoules 2 ml No. 10

Solution for injection



CBP (Colour Break Point) —

modern opening system, guarantee of ease, speed and safety of opening a glass ampoule

ADVANTAGES OF CBP AMPOULES

- > no risk of foreign bodies
- > opening in difficult conditions without a file and a scarifier
- > high speed of injection due to the simplicity of opening
- > opening in poor light the possibility of a fracture in any direction

DICLOFENAC-SOLOPHARM 25 MG/ML

RX

Nonsteroidal anti-inflammatory agent

CBP injection ampoules 3 ml No. 5

Solution for intramuscular injection

KETOROLAC-SOLOPHARM 30 MG/ML

RX

Nonsteroidal anti-inflammatory agent

CBP injection ampoules 1 ml No. 10

Solution for intravenous and intramuscular injection

CALCIUM GLUCONATE-SOLOPHARM 100 MG/ML

Calcium preparation

CBP injection ampoules 5, 10 ml No. 10

Solution for intravenous and intramuscular injection

DROTAVERINE-SOLOPHARM 20 MG/ML

Antispasmodic agent

CBP injection ampoules 2 ml No. 10

Solution for intravenous and intramuscular injection

Bellarti®

Born to shine

Hyaluronic Acid

- Only premium HTL hyaluronic acid (France) is used
- The unique AFT technology (aseptic filling technology) and a special steam sterilization mode make it possible to obtain a hyaluronic acid molecule that is resistant to mechanical and enzymatic destruction with a weight of at least 2.7 mDa
- Ergonomic shape of the syringe and the pH related to the dermis make the procedure comfortable for both doctors and patients





BELLARTI® **HYDRATE**

18+ MD

Composition:

sodium hyaluronate 1,35 %, mannitol 0,49 %

Release form:


pre-filled syringe 1, 2 ml No. 1

Dosage form: intradermal implant

- > A preparation based on premium hyaluronic acid for classical biorevitalization
- > Provides rapid saturation of the skin with moisture, improvement of complexion, restoration of elasticity and skin tightness
- > Suitable for combination with other cosmetology procedures

Pre-filled syringe

- > Ultra-thin laser-sharpened needles to minimize skin injury during injection
- > Convenient ergonomics of the syringe (smoothness of the piston stroke, colored rods) for the comfort of the doctor
- > Glass cylinder for convenience and accuracy of dosing
- > Reinforced stock



Indications for use

Bellarti

- > increases the hydration and elasticity of the skin
- > compensates for the loss of hyaluronic acid due to age-related changes

BELLARTI® LIFT

MD

18+

Composition:

sodium hyaluronate 1,8 %, glycerol 0,9 %

Release form:

pre-filled syringe 1, 2 ml No. 1

Dosage form: intradermal implant

- > A preparation based on premium hyaluronic acid for prolonged biorevitalization and correction of surface wrinkles
- > Provides rapid saturation of the skin with moisture, correction of surface wrinkles, improvement of complexion, restoration of elasticity and skin tightness
- > Suitable for combination with other cosmetic procedures



Indications for use

> increases the hydration, tone and elasticity of the skin, fills in fine wrinkles, such as «crow's feet» or «pouch» wrinkles

Indications for use

Bellarti

- > increases the volume of atrophic areas, incl. the correction of skin defects such as wrinkles, furrows, scars and age-related changes
- > for volume correction with signs of thinning of facial adipose tissue (lipoatrophy)







Dosage form: intradermal implant


> Preparation for replenishment and creation of additional volume, correction of age-related changes in the skin, as well as to increase its hydration and elasticity



Solopharm neurological portfolio

is represented by two therapeutic groups:

- Medicines for the treatment of cerebrovascular diseases
- Medicines for the treatment of diseases of the musculoskeletal system



- > nonsteroidal anti-inflammatory drugs
- > central action muscle relaxant
- > B vitamins
- > chondroprotector
- > nootropic drug
- > antioxidant



Indications for use

- > degenerative-dystrophic diseases of the joints and spine: osteoarthritis and osteochondrosis of the spine
- > accelerates the formation of callus in fractures

ARTOGYSTAN



Composition: chondroitin sulfate 100 mg/ml



Release form:

CBP injection ampoules 1, 2 ml No. 10, 20

Dosage form:

solution for intramuscular injection



Chondroitin from the reference substance for the correct treatment of osteoarthritis

Is recommended as a basic therapy for osteoarthritis from the first step and at all subsequent stages of treatment:

- > reduces pain and inflammation
- > prevents the destruction of cartilage
- > improves mobility of affected joints
- > helps reduce the need for NSAIDs

Does not contain benzyl alcohol

Thoughtful forms of release for initial and course therapy

LARIGAMA®



18+



Composition:

pyridoxine, thiamine, cyanocobalamin, lidocaine



Release form:

CBP injection ampoules 2 ml No. 5, 10

Dosage form:

solution for intramuscular injection



- > has an anti-inflammatory and analgesic effect
- > promotes the restoration of nerve fibers
- > improves nerve impulse conduction
- > enhances the effect of NSAIDs





Indications for use

in complex therapy:

- > mono- and polyneuropathies of various genesis
- > dorsalgia
- > plexopathy
- > lumboischialgia
- > radicular syndrome caused by degenerative changes in the spine



Indications for use

- > symptomatic treatment of adult stroke-related spasticity
- > myofascial pain syndrome of moderate and severe degree (including muscle spasm in dorsopathies)

LIDAMITOL



RX

18+



Composition:

tolperizone 100 mg/m lidocaine 2,5 mg/ml



Release form:

BFS injection ampoules 1 ml No. 5. 10

Dosage form:

solution for intravenous



> reduces muscle spasr

pharmaceutical market

- > enhances the effect of NSAID
- > does not have a sedative effect
- release form provides fast, convenient and safe opening of the ampoule

ELOX **SOLOPHARM**

RX

18+



Release form:

BFS injection ampoules 1,5 ml No. 5

Dosage form:

solution for intramuscular injection

Nonsteroidal antiinflammatory drug:

- > affects the key stages of the inflammatory cascade
- > favorable profile of gastro- and cardiac safety
- > release form provides fast, convenient and safe opening of the ampoule







Indications for use

initial therapy and short-term symptomatic treatment:

- > with osteoarthritis (arthrosis, degenerative joint diseases)
- > rheumatoid arthritis
- > ankylosing spondylitis
- > other inflammatory and degenerative diseases of the musculoskeletal system, accompanied by pain

Indications for use

> symptomatic treatment of acute pain of severe and moderate intensity (for example, postoperative pain, lower back pain and renal colic) with the inexpediency of oral therapy

RIKLING

Composition: dexketoprofen 25 mg/ml

Release form:

CBP injection ampoules 2 ml No. 5, 10

Dosage form:

solution for intravenous and intramuscular injection

> has analgesic, anti-inflammatory and antipyretic effect



ENCETRON-SOLOPHARM



18+



Release form: BFS injection ampoules 10 ml No. 10

Dosage form: solution for oral administration

Composition: citicoline 125, 250 mg/ml

> Release form: BFS injection ampoules 4 ml No. 5

Dosage form: solution for intravenous and intramuscular injection

The only citicoline for oral administration without flavorings in convenient BFS ampoules

> To maximize the potential of the brain:

- > improves memory
- > increases concentration/ of attention
- > improves brain function
- > normalizes the emotional background





Indications for use

- > cognitive and behavioral disorders in degenerative and vascular diseases of the brain
- > acute period of ischemic stroke (as a part of complex therapy)
- > recovery period of ischemic and hemorrhagic strokes
- > traumatic brain injury, acute (as part of complex therapy) and recovery period



Indications for use

- > acute disorders of cerebral circulation (as part of complex therapy)
- > traumatic brain injury, the consequences of traumatic brain injuries
- > syndrome of autonomic (neurocirculatory) dystonia
- > anxiety disorders in neurotic and neurosis-like conditions
- > acute myocardial infarction (from the first day) as part of complex therapy

EVRIN



Composition: ethylmethylhydroxypyridine succinate 50 mg/ml

Release form: CBP injection ampoules 2 ml No. 10, 5 ml No. 5

Dosage form: solution for intravenous and intramuscular injection

Composition: ethylmethylhydroxypyridine succinate 125 mg/ 250 mg

Release form: tablets in a blister, No. 30, 40, 50, 60



- > Improves metabolism and blood supply to the brain
- > Activates energy metabolism in cells
- > Stimulates reparative processes and limits the ischemic zone
- > Increases the body's resistance to the effects of damaging factors

The portfolio of otorhinolaryngology includes Antibacterial and anti-inflammatory drugs for mouth cavity and throat Moisturizing and antiseptic products for the nasal cavity Vasoconstrictive drugs, including

combined and non-preservative

Drugs for the treatment of otitis



ANGIDAK®



- > Helps to reduce sore throat from the 1st minute
- > Additionally provides an antiseptic effect
- > Wide spray angle to deliver the drug precisely to the target
- > A convenient bottle with a folding nozzle that will not be lost
- Indications for use of Angidak®, Angidak® sept, Angidak® forte:
- > pharyngitis, laryngitis, tonsillitis
- > stomatitis, candidiasis of the oral cavity
- > gingivitis, glossitis, periodontal disease
- > after treatment and removal of teeth



ANGIDAK®







Release form:

Dosage form:

ANGIDAK® SEPT





Composition:

Release form:

Dosage form:

ANGIDAK® FORTE









Dosage form:

GELANGIN®

- > Antiseptic for the treatment of mouth and throat infections
- > Acts on the cause of pain and inflammation: viruses, bacteria and fungi
- > Maintains an active concentration during 12 hours and can be applied only twice a day
- > Provides a mild anesthetic effect






Indications for use

- > tonsillitis, angina, pharyngitis, gingivitis, stomatitis, glossitis, periodontal disease
- > fungal diseases
- > prevention of complications before and after surgical interventions on the oral cavity and larynx, including after tooth extraction







GELANGIN® FLEX













Release form: aerosol 40 ml No. 1

Dosage form: aerosol for topical use









GELANGIN® NOVA







Composition: hexethidine 0,1 %



Release form: glass bottle 200 ml No. 1

Dosage form: solution for topical use

IVILEKT







Dosage form: nasal spray

- > Facilitates breathing within 5 minutes, the effect lasts up to 5 hours
- > Provides an additional cooling effect, which gives a feeling of freshness

NAPHTHYZINE



Composition: naphazoline 0,05 %, 0,1 %

Release form: 10 ml multidoses No. 1

Dosage form: nasal drops

Russian first seawater-based naphazoline



Indications for use

> acute rhinitis (including against the background of acute respiratory diseases)



Indications for use

- > acute rhinitis (including against the background of acute respiratory diseases)
- > allergic rhinitis
- > sinusitis



Indications for use

- > acute sinusitis
- > acute rhinitis
- > acute otitis media (as part of combination therapy)



Indications for use

- > acute respiratory diseases accompanied by rhinitis
- > allergic rhinitis
- > vasomotor rhinitis

BABYFRIN®



Composition: phenylephrine 0,125 %

0

Release form: multidoses 10 ml No. 1

> Dosage form: nasal drops

- Mild vasoconstrictor effect for the youngest patients
 - > Affects only a-1 receptors
 - > Suitable for children from birth

RYXINT RHINO









Release form: pipette bottle 10 ml No. 1

Dosage form: nasal drops

Treatment of rhinitis against the background of acute respiratory viral infections and allergies

> The effect up to 12 hours

> Release forms for all ages

XYLOKT®- SOLOPHARM

OTC 2+ 6+

Composition:

xylometazoline 0,05 %, 0,1 % / 35 mcg/dose, 140 mcg/dose

Release form: multidoses 10 ml No. 1

Dosage form: nasal drops

Release form: metered spray 15 ml No. 1

Dosage form: nasal spray

- Pronounced vasoconstrictive effect in case of rhinitis and severe nasal congestion
- > The effect up to 10 hours
- > Release forms for adults and children drops and sprays

OXYFRIN



Composition:

oxymetazoline 11,25 mcg/dose, 22,5 mcg/dose

Release form:

metered spray 15 ml No. 1

Dosage form: nasal spray

- Gentle and the longest recovery of nasal breathing
- > Line of remedies in case of rhinitis for adults and children
- > The effect up to 12 hours
- > The special design of the bottle ensures accurate dosing in the form of a "cloud" and avoids the use of preservatives



Indications for use

- > acute respiratory diseases with rhinitis
- > allergic rhinitis
- > pollinosis
- > sinusitis



Indications for use

- > acute respiratory diseases with rhinitis
- > allergic rhinitis
- > pollinosis
- > sinusitis
- > eustachitis



Indications for use

- > acute respiratory diseases with rhinitis
- > acute allergic rhinitis
- > exacerbation of vasomotor rhinitis

Indications for use

- > symptomatic treatment of edema and hyperemia of the nasal cavity
- > acute respiratory diseases with rhinitis

NAXIMIN

OTC 2+ 6+ no preservatives

Composition:

xylometazoline 0,05 mg, dexpanthenol 5 mg/dose xylometazoline 0,1 mg, dexpanthenol 5 mg/dose

Release form:

metered spray 15 ml No. 1

Dosage form:

nasal spray

Vasoconstrictor drug with additional protection for sensitive nasal mucosa

> The effect up to 10 hours

ROPAXIM

OTC 18+ no preservatives

Composition:

ipratropium bromide 84 mcg/dose, xylometazoline 70 mcg/dose

Release form:

metered spray 15 ml No. 1

Dosage form:

nasal spray

In case of rhinitis and strong nasal flow

- > Relieves congestion and stops the flow from the nose
- > Starts working in 5 minutes and provides a long lasting effect up to 8 hours

OLYFRIN





3+



Composition:











Indications for use

- > patients using vasoconstrictor drugs
- > in case of complaints upon dryness and discomfort in the nasal cavity
- > after surgical interventions in the nasal cavity



Indications for use

- > creates a protective antiseptic barrier in the nasal cavity
- > accelerates the regeneration of the nasal mucosa after surgical interventions
- > maintains the physiological microclimate of the nasal cavity

MESTAMIDIN®-NASAL







Composition:





Dosage form:





Protection against influenza

RHINOSTAIN®







Composition:

acetylcysteine 10 mg/ml, tuaminoheptan 5 mg/ml, sodium hyaluronate 1 mg/ml



Release form:

metered spray 10 ml No. 1


Dosage form: nasal spray

A unique combination of acetylcysteine, tuamino-heptane and hyaluronic acid for the treatment

Provides a complex effect:

of rhinitis and sinusitis

- > tuaminoheptan eliminates mucosal edema
- acetylcysteine dilutes and accelerates the evacuation of nasal secretions from the sinuses and nasal cavity
- > hyaluronic acid moisturizes and protects the nasal mucosa, and also enhances the mucolytic effect of acetylcysteine





© NIT SON IN STAND STAN

Indications for use

- > acute and subacute rhinitis with a thick purulentmucous secret
- > sinusitis
- > chronic rhinitis
- > vasomotor rhinitis
- > atrophic rhinitis



Indications for use

as a part of combination therapy in case of infections and inflammatory deseases of the upper respiratory tract, including:

- > rhinitis
- > rhinopharyngitis
- > sinusitis (in case of absence of nasal septum damage)

TRAMYCENT










Release form: metered spray 15 ml No. 1

Dosage form: nasal spray



- > Active against the main causative agents of sinusitis
- > The special design of the bottle ensures spraying in the form of a "cloud", which allows delivering the drug to all parts of the nasal cavity, increasing the effectiveness of treatment
- > No age restrictions.

 Can be prescribed to patients of any age (0+)

67

LINAQUA

Natural sea water from the shores of France

- Contains 11 microand macronutrients, provides cleansing, antiseptic and anti-inflammatory effects
- No dyes, preservatives and harmful additives
- A wide range of release forms for adults and children from birth
- The "Bag on Valve" technology ensures the preservation of the beneficial properties of seawater



"Bag on Valve" technology

- > The bottle works in any position and sprays continuously
- > Used to the last drop
- > Seawater is sterile during the entire period of use

Isotonic solutions of seawater 0,9 %




Hypertonic solutions of seawater 2,1 %



Baby








BOV aerosol 150 ml (with "soft shower" nozzle)

BFS unidose 2 ml No. 30

Soft







BOV aerosol 150 ml (with "shower" nozzle)

Norm







Release form:

BOV aerosol 150 ml (with "stream" nozzle)

Forte







Release form:

BOV aerosol 150 ml (with "stream" nozzle)


metered spray, nasal 30 ml

Forte for throat









BOV aerosol 150 ml

(with "shower" nozzle for mouth and throat)

LOROTOX®



lidocaine 1%, phenazone 4 %

Release form: bottle with dropper 16 g No. 1

> Dosage form: ear drops



- Dual analgesic and antiinflammatory effect for the complex therapy of acute otitis media
 - > Convenient bottle with a screw-on dropper, providing accurate dosing
 - > No age restrictions. Can be prescribed to patients of any age (0+)





Indications for use

- > acute exudative otitis media
- > otitis media as a complication after the flu
- > exudative viral otitis
- > barotraumatic otitis




Indications for use

> external acute and chronic otitis without eardrum damage

NIATIRA



Composition: rifamycin 2,6 %



bottle with dropper 10 ml No. 1

Dosage form: ear drops

Indications for use

- > acute external otitis
- > exacerbations of chronic otitis media
- > after surgical interventions on the middle ear

OTOLORIN



Composition:

procaine 20 mg, boric acid 30 mg



Release form: pipette bottle 10 ml No. 1

Dosage form: ear drops




- > Has antiseptic and local anesthetic effect
- > Improves blood microcirculation in the inflammatory focus

71



Solopharm ophthalmology portfolio

is represented by all major pharmacotherapeutic groups used in the treatment of eye diseases, and includes anti-glaucoma, antibacterial, anti-inflammatory, anti-allergic, antioxidant drugs, moisturizing, as well as diagnostic drugs



Solopharm medicines are distinguished by:

- > high quality
- > modern production technologies
- > innovative release forms that eliminate preservatives and improve ease of use

Aqua Optic



0

Indications for use

- > daily cleaning of contact lenses
- > removal of protein deposits
- > washing, disinfection, storage of contact lenses

MD

0+

8

Composition:

sodium hyaluronate, poloxamer 407, polyhexamethylene biguanide hydrochloride (20% solution), succinic acid, trehalose



Release form:

bottle 60, 120, 250, 450 ml (contact lenses case included)

Dosage form:

multifunctional solution for contact lenses care



A unique solution for gentle cleansing of lenses, gives the eyes a feeling of hydration, protection and comfort

- > Effectively cleans and disinfects
- > Increases the overall comfort of wearing contact lenses
- > Moisturizes for a long time

73





INNOVATIVE OSD BOTTLE (Ophthalmic Squeeze Dispenser)

- guarantees the sterility of the drug with no preservatives throughout the shelf life after opening
- the absence of preservatives minimizes the risk of adverse events
- a special Teflon filter in the bottle purifies the air entering the bottle during instillation and prevents bacterial contamination of the drug



GYLAN COMFORT / ULTRA COMFORT

MD 0+

Composition:

sodium hyaluronate 0,18 %/ 0,3 %

Release form:
OSD bottle 10 ml No. 1

Release form: BFS unidose 0,4 ml No. 10, 30

Dosage form:moisturizing ophthalmologic solution

- Instant and long-lasting hydrationSuitable for "dry" eye syndrome
 - treatment

GYLAN® EXTRA



Composition:

trehalose 3 %, sodium hyaluronate 0,18 %

Release form:
OSD bottle 10 ml No. 1

Release form: BFS unidose 0,4 ml No. 10, 30

Dosage form: moisturizing ophthalmologic solution

> Instant and long-lasting hydration

- > Trehalose in the composition has a beneficial effect on the protection and restoration of the eye
- > Suitable for "dry" eye syndrome treatment

Indications for use Gylan comfort, Gylan ultra comfort, Gylan[®] extra

- > for moisturizing in case of "dry" eye syndrome
- > eliminate the feeling of dry eyes, the feeling of "sand" in the eyes
- > in case of "office" syndrome with burning, tearing, redness, itching, fatigue to eliminate discomfort when wearing hard and soft contact lenses
- > in the complex treatment of chronic blepharitis to eliminate dry eyes in cases of systematic and long-term use of drugs
- > moisturize the anterior surface of the eye after ophthalmic surgery, including after refractive interventions for Sjögren's syndrome

Special design of OSD bottle



0





Unidose

Sterile polyethylene packaging of a single drug dose

Convenient and compact

No preservatives

Modern BFS technology
(Blow-Fill-Seal) — advanced
aseptic bottling in one cycle,
recognized as the most perfect
in the world for the production
of sterile medicinal solutions



BIVIART® SOFT / COMFORT / ULTRA


MD

0+



Composition:

sodium hyaluronate 0,1 %/ 0,18 %/ 0,3 %



Release form:

multidoses 10 ml No. 1

Dosage form:

moisturizing ophthalmologic solution (with preservatives)



Available segment



DORZIAL

RX

0+

no preservatives

Composition:

dorzolamide 20 mg/ml

Release form:
OSD bottle 10 ml No. 1

Dosage form: eve drops

- > Reduction of intraocular pressure
- > Protection of corneal cells
- > Moisturizing of the eye surface due to sodium hyaluronate in the composition



DORZIAL PLUS

RX 184

no preservative

Composition:

dorzolamide 20 mg/ml, timolol 5 mg/ml

Release form:
OSD bottle 5 ml No. 1

Dosage form: eve drops

- > Reduction of intraocular pressure
- > Protection of corneal cells
- > Normalization of the ocular surface after 3 months of therapy
- > Prevention of "dry" eye syndrome due to sodium hyaluronate in the composition



Indications for use

for adults with:

- > ophthalmohypertension
- > primary open-angle glaucoma
- > pseudoexfoliative glaucoma
- > secondary glaucoma (without anterior chamber angle block)

for children:

For the treatment of glaucoma from 1 week old in monotherapy mode or as an adjunct to treatment with β-drainage blockers



Indications for use

- for the treatment of increased intraocular pressure in open-angle glaucoma and pseudoexfoliative glaucoma
- > with insufficient effectiveness of monotherapy or ophthalmohypertension
- > with insufficient response to treatment with beta-blockers



Indications for use

> treatment of symptoms of seasonal allergic conjunctivitis



Indications for use

- > removal of foreign bodies in the eyes
- > prevention of inflammatory processes caused by the getting of foreign bodies into the eye
- > mucosal lavage before administration of medications
- > elimination of discomfort with swelling of the eye

OLORIDINE







Composition: olopatadine 0,1 %



Release form: multidoses 5 ml No. 1

Dosage form: eve drops



- > Pronounced antihistamine effect up to 12 hours
- > Effect starts in 5 minutes
- > Easy-to-press dropper bottle
- > Allowed for children (3+

OCUSALIN

MD

0-

no preservatives



Composition:

sodium chloride 3 %



Release form:

Dosage form:



- The only hypertonic sodium chloride solution for eye washing in unidoses
- Sterile solution eliminates microbial contamination
- > Safe for corneal cell
- Allowed for pregnant and breastfeeding women

IVINAC®-SOLOPHARM



Release form: multidoses 2,5, 5 ml No. 1

Dosage form:

eye drops



- > The composition is improved by hydroxypropylbeta-dex to increase therapeutic activity
- > Contains a minimal amount of preservative for better tolerability
- > The strike stop allows correctly placing the bottle over the eye without risk of damage to the cornea





A bottle with a strike stop

Facilitates the opening of the bottle

Helps to place the bottle over the eye correctly

Reduces the risk of corneal injury during instillation

Prevents eye contact with the bottle

Designed taking into account the anatomical features of the structure of the eye socket area, so the drop hits exactly in the eye, which significantly reduces the overspending of the drug

• Facilitates instillation, especially for people with joint problems and violations of fine motor skills



Indications for use

> symptomatic treatment of non-infectious inflammatory diseases of the anterior segment of the eye and postoperative inflammation

Indications for use

> reduction of increased intraocular pressure for adults and children (1+) with open-angle glaucoma or increased ophthalmotonus

TRILAKTAN®









Composition: latanoprost 0,005 %



Release form:

multidoses 2,5 ml No. 1, 3

Dosage form: eye drops



- > Reduces intraocular pressure
- > Produced from a reference substance at low temperature
- > Convenient for instillation exactly in the eye

DORZOLAN® SOLO



Composition: dorzolamide 2 %

Release form: multidoses 5 ml No. 1

Dosage form: eye drops

> Contains hyaluronic acid

PICTORID-SOLOPHARM



Composition: picloxydine 0,05 %

Release form: multidoses 10 ml No. 1

Dosage form: eye drops

- > Has a wide spectrum of action against bacteria, viruses and fungi
- > Approved for use from birth



Indications for use

> anti-glaucoma agent



Indications for use

> cataracts of various genesis



Indications for use

- > bacterial infections of the anterior part of the eye
- > dacryocystitis
- > prevention of infectious complications in the postoperative period after surgical interventions in the anterior part of the eye

Indications for use

> symptomatic temporary relief of secondary hyperemia (redness) of the eyes due to moderate irritant effects and allergic conjunctivitis

OFTARINT



Composition:

adenosine, nicotinamide, cytochrome C

Release form:

multidoses 10 ml No. 1

Dosage form: eye drops

- > Slowing down the development of cataracts
- > Normalization of metabolic processes of the lens
- > Nutrition and antioxidant protection
- > Used in cases of combined eye pathology with cataract

SIGIDA DUO / CRYSTAL



Composition:

naphazoline 0,1 %, diphenhydramine 0,033 % / naphazoline 0,05 %


Release form:
OSD bottle 10 ml No. 1

Dosage form: eye drops

> Vasoconstrictive eye drops with moisturizing effect

> Relieves redness, swelling and irritation of the eyes

> Contains hyaluronic acid for additional moisturizing effect



84

DICLOFENAC-SOLOPHARM

> Treatment of non-infectious conjunctivitis and after surgical interventions on the eyeball



KORFECIN-SOLOPHARM

TIMOLOL-SOLOPHARM

> Reduction of intraocular pressure by reducing

the formation of intraocular fluid

- > Low resistance of pathogens
- > High penetrating power
- > Broad-spectrum medicine



> Quickly relieves swelling and redness

OFTRIX

> Removal of swelling and hyperemia of the conjunctiva (redness of the eyes) caused by exposure to chemical and physical factors such as smoke, wind, dust, chlorinated water, light, cosmetics, contact lenses

> Solves the problems of year-round allergic conjunctivitis > Blocks both early and late allergic reactions


> Seasonal and year-round allergic conjunctivitis

CROMICIL®-SOLOPHARM

- OTC
- 4+



Composition: cromoglycic acid 2 %



Dosage form: eye drops



2+



Composition: tetrisoline 0,05 %

Release form:

multidoses 15 ml No. 1

Dosage form: eye drops

LAFRAX

- > Broad-spectrum antimicrobial agent from the group of fluoroquinolones
- > High antibacterial activity
- > Approved for children (1+)







Release form: multidoses 5 ml No. 1

Dosage form:

eye and ear drops

18+

TRAVAXAL

- > The first travoprost produced in Russia
- > A significant decrease in intraocular pressure may persist for 24 hours after a single application of the drug



Composition:

RX

travoprost 0,004 %

Release form: multidoses 2,5 ml No. 1

> Dosage form: eye drops





BETAXOLOL-SOLOPHARM

> Improves ocular blood circulation (perfusion)

> Effectively reduces intraocular pressure

and improves ocular circulation

> The effect starts within 30 minutes

and persists for 24 hours

SOLOSEPTIN SENS





Composition:

benzyldimethyl (3-(myristoylamino)propyl) ammonium chloride monohydrate 0,01 %



Dosage form: eye, ear and nasal drops

- > A wide range of activity among antiseptics
- > Reduces the resistance of bacteria to antibiotics
- > Provides a local effect





Indications for use in ophthalmology

- > complex treatment of infectious processes of the anterior part of the eye (blepharitis, conjunctivitis, keratitis, keratouveitis)
- > eye injuries, eye burns (thermal and chemical)
- > in the preoperative and postoperative periods for the treatment and prevention of purulentinflammatory eye lesions
- > prevention of neonatal ophthalmia, including gonococcal and chlamydial



Indications for use

- > iridocyclitis
- > "red eye" syndrome (for reducing hyperemia and irritability of the mucous membrane of the eye)
- > prevention of asthenopia and accommodation disorders in patients with high visual load
- > treatment of false myopia and prevention of progression of true myopia in patients with high visual load

STELFRIN SUPRA



Composition:

phenylephrine 2,5 %, sodium hyaluronate 0,27 %

Release form:

OSD bottle 10 ml No. 1

Dosage form: eye drops



- > Comfortable treatment of accommodation disorders
 - > Prevention from "dry" eye syndrome by moisturizing the eye surface
 - > Sterility of the solution to the last drop

PHENYCAMIDE

RX

12+

Composition:

phenylephrine 5 %, tropicamide 0,8 %

Release form: multidoses 10 ml No. 1

> Dosage form: eye drops

> > > Two components to achieve maximum mydriasis





Indications for use

Used as a mydriatic remedy:

- > during diagnostic ophthalmological procedures
- > before surgical and laser operations
- > in case of accommodation disorders (as part of complex therapy)



SOLOPHARM

- > Active against gram-positive and gram-negative cocci
- > Sterile solution

OTC

2 months +

no preservatives

Composition: sulfacetamide 20 %

Release form:

multidoses 5 ml No. 1

unidoses 0,5 ml No. 5

Dosage form: eye drops

TAFLARINT

- > Reduction of intraocular pressure
- > Convenient to use due to the strike stop



18+

Composition: tafluprost 0,0015 %

Release form:

multidoses 2,5 ml No. 1

Dosage form: eye drops

TIMILOX®

- > Used for the treatment of bacterial conjunctivitis
- > Broad-spectrum medicine, including atypical microflora






no preservatives



Composition: moxifloxacin 0,5 %



multidoses 5 ml No. 1


Dosage form: eye drops

TAUSTIN










Dosage form: eye drops



> Promotes normalization of cell membrane functions, activation of energy and metabolic processes





Indications for use

The drug is used as a part of complex therapy:

- > corneal dystrophy, cataract (senile, diabetic, traumatic, radiation)
- > corneal injury (as a stimulant of reparative processes)
- > primary open-angle glaucoma (combined with β -blockers for improving outflow intraocular fluid)



Indications for use

mono- and complex therapy of viral eye lesions:

- > conjunctivitis, keratonjunctivitis, keratouveitis caused by herpes virus and adenoviruses
- > keratopathies of infectious, post-traumatic and postoperative genesis



Indications for use

- > treatment and prevention:
- inflammation and burns of the cornea
- hemorrhages in the anterior chamber of the eye
- hemorrhages in the sclera in the elderly
- thrombosis of the central retinal vein and its branches
- complications of myopia
- diabetic retinopathy
- > protection of the cornea when wearing contact lenses

EXINTA®

OTC 0+

no preservatives

Composition: aminobenzoic acid 0,007 %

Release form:
multidoses 5 ml No. 1

Dosage form: eye drops

> Provides an immunomodulatory effect

> Accelerates corneal regeneration

> Enhances the effect of antibiotics

VICSIPIN®

RX 18+

Composition: methylethylpyridinol 1 %

Release form:
multidoses 10 ml No. 1

Dosage form: eye drops

The composition is improved by auxiliary substances:

> hydroxypropylbetadex — increases therapeutic activity

> sodium hyaluronate moisturizes the corneal epithelium

Soft and easy to press dropper bottle

10 ml bottle is designed for monthly course of therapy

Solopharm pulmonological portfolio

is represented by bronchodilators and mucoatives, frequently used in medical practice


Solopharm medicines compare favourably with high quality and convenient release form





MDI (Metered Dose Inhaler — metered aerosol for inhalation)

- > Special device for fast delivery of the necessary inhalation dose of the drug directly into the respiratory tract
- > Optimal form of drug delivery for the relief of bronchospasm attack in bronchial asthma, chronic obstructive pulmonary disease and other respiratory diseases



ASTMASOL® BRONCHO



0+



Composition:

ipratropium bromide 0,25 mg/ml, phenoterol 0,5 mg/ml



Release form:

glass bottle 20 ml No.

Dosage form:

solution for inhalation

- > Co wit der
 - Combined bronchodilator in a bottle
 with a dropper for flexible dose selection
 depending on the patient's age or the severity
 of the bronchospasm attack
 - > Allowed from birth
 - Shelf life before opening the bottle is 5 years





Indications for use

prevention and symptomatic treatment of obstructive airway diseases with reversible airway obstruction:

- > chronic obstructive pulmonary disease (COPD)
- > bronchial asthma
- > chronic bronchitis complicated or uncomplicated by emphysema

ASTMASOL® NEO







Composition:

ipratropium bromide 20 mcg/dose, phenoterol 50 mcg/dose



Release form:

MDI aerosol 200 doses

Dosage form:

metered aerosol for inhalation

- > Combination of ipratropium bromide and phenoterol for "here and now" ambulance with bronchospasm in inhaler designed for the patient
- > High efficiency of the double combination in case of bronchospasm
- > Quick start of action within 5 minutes
- > Metered dose inhaler is the optimal form of delivery directly to the respiratory tract

INGASALIN®





Composition:

sodium chloride 3 %, sodium hyaluronate 0,01 %






BFS ampoules 5 ml No. 10

Dosage form:


hypertonic sterile solution for inhalation



- > mucolytic (dilutes sputum)
- > mucokinetic (removes sputum)
- > anti-inflammatory (protects lung tissue)

Allows significantly reduce the intensity of cough already on the 3rd day of treatment and completely stop the cough by the 7th day of therapy

Favorable safety profile, recommended for use from birth



For everyone who coughs, even for the youngest ones



SOLOPHARM

™ SOLOPHARM HYPERTONIC STERILE SOLUTION FOR INHALATION **Ingasalin**® with hyaluronic acid 0,01 %

Indications for use

> diseases of the respiratory system, which are accompanied by severe separation of viscous secretions (sputum) in the respiratory tract

> acute bronchitis

HYPERTONIC STERILE SOLUTION FOR INHALATION

with hyaluronic acid 0,1 %

PRESERVATIVES FREE

7%

Ingasalin[®]

- > exacerbation of chronic bronchitis
- > bronchiectatic disease
- > cystic fibrosis

INGASALIN® FORTE

Composition:

sodium chloride 7 % + sodium hyaluronate 0,1 %

Release form:

BFS ampoules 5 ml No. 10

Dosage form:

hypertonic sterile solution for inhalation

The triple mechanism of complex action on the pathogenesis of cough:

- > mucolytic (dilutes sputum)
- > mucokinetic (removes sputum)
- > anti-inflammatory (protects lung tissue)

Ingasalin® forte 7% application twice a day through a nebulizer by patients with acute bronchitis, contributes to a pronounced regression of cough (by 64%) already on the 4th day of treatment

BERAXOL-SOLOPHARM

0+







Composition: ambroxol 7,5 mg/ml



Release form:

bottle with dropper 100 ml No. 1

Dosage form:

solution for oral administration and inhalation



Product form:

BFS unidose 2 ml No. 20

Dosage form:

solution for oral administration



- > Can be diluted in juice,





Indications for use

acute and chronic respiratory tract diseases with the release of viscous sputum:

- > acute and chronic bronchitis
- > pneumonia
- > chronic obstructive pulmonary disease
- > bronchial asthma with difficulty in sputum discharge



Indications for use

- > prevention and relief of bronchospasm in bronchial asthma
- > symptomatic treatment of bronchoobstructive syndrome, including chronic bronchitis and emphysema of the lungs
- > prevention and treatment of reversible bronchial obstruction, including chronic obstructive pulmonary disease

NOVATRON / **NOVATRON NEO**







Composition: salbutamol 1mg/ml



Release form:

BFS ampoules 2,5 ml No. 10, 20

Dosage form:



Composition:

salbutamol 100 mcg/dose



Release form:

MDI aerosol 200 doses

Dosage form: metered aerosol for inhalation



Bronchodilator

- > Quick start of action:
- > The effect up to 6 hours
- > Convenient release forms (metered dose inhaler and BFS ampoules)

Armaviscon®

A wide range of premium quality hyaluronic acid medicines for an individual approach to patients with osteoarthritis

- > Replenishes the deficiency and improves the properties of synovial fluid in diseases of the joints
- > Hyaluronic acid in the composition is as close as possible in properties to the synovial fluid of a healthy joint
- > Reduces soreness and improves joint mobility within 10-15 minutes after administration
- > The effect lasts up to 6 months



ARMAVISCON®









Composition:

sodium hyaluronate 20 mg, 1%



Release form:

pre-filled syringe 2 ml No. 1, 2

Dosage form:

solution for intra-articular injection



Gentle therapy of osteoarthritis and diseases of the periarticular soft tissues in elderly and inactive patients



ARMAVISCON® PLUS







Composition: sodium hyaluronate 30 mg, 1,5 %



Release form: pre-filled syringe 2 ml No. 1, 2



solution for intra-articular injection



A universal solution for the gentle therapy of osteoarthritis, including chronic sluggish inflammation

ARMAVISCON®

FORTE

М

18+

S S

Composition: sodium hyaluronate 69 mg, 2,3 %

Release form:

pre-filled syringe 3 ml No. 1

Dosage form: solution for intra-articular injection

1 injection for maximum joint protection even at high loads on the joint

ARMAVISCON® PLATINUM

MD

18+

Composition: sodium hyaluronate 90 mg, 3 %

Release form:
pre-filled syringe 3 ml No. 1

Dosage form: solution for intra-articular injection

Maximum concentration of hyaluronic acid in 1 syringe for protection of joints in special cases and with regular heavy loads





ARMAVISCON®

MD

18+

Composition:

sodium hyaluronate 40 mg, 2 %, mannitol 10 mg, 0,5 %

Release form:

pre-filled syringe 2 ml No. 1

Dosage form:

solution for periarticular and intra-articular injection

Synergistic combination of hyaluronic acid and mannitol to relieve inflammation and restore the functions of joints and tendon-ligamentous apparatus

ARMAVISCON®

CHONDRO

MD

18+

Composition:

sodium hyaluronate 60 mg, 2 %, chondroitin sulfate 90 mg, 3 %

Release form:

pre-filled syringe 3 ml No. 1

Dosage form: synovial fluid prosthesis

Hyaluronic acid enhanced with chondroitin for a faster and more pronounced analgesic effect and start the process of regeneration of the joint

ARTAVISK

MD

18+

NEW



Composition:

sodium hyaluronate 30 mg + polynucleotides 30 mg + mannitol 108 mg



Release form:

pre-filled syringe 3 ml No. 1

Dosage form:

solution for intra-articular and peritendinous injection



> Promotes:

- reduction of pain syndrome
- restoring functions and joint mobility and tendons
- activation of exchange and restorative processes in cartilage and slowing down age-related changes
- improving elasticity cartilage and ligaments





Indications for use

- > increases joint mobility and eliminates pain in joint diseases
- > increases tendon mobility and eliminates pain caused by tendon diseases
- > during the rehabilitation period after injuries and surgical interventions

Indications for use

- > increases mobility, eliminates pain caused by joint diseases
- > as a part of complex therapy for patients with increased physical activity and regularly loading the affected joint
- > for rehabilitation after arthroscopy

SINTALON

MD

18+

NEW



Composition:

sodium hyaluronate 24 mg, mannitol 15 mg



Release form:

pre-filled syringe 3 ml No. 1

Dosage form:

synovial fluid prosthesis



A unique combination of cross-linked sodium

hyaluronate with optimal rheological properties and mannitol

> Promotes:

- reduction of pain syndrome and inflammation
- protection of articular surfaces during intense loads;
- long-term therapeutic effect 6 months +

ACT SOLOPHARM®



Release form: double syringe

>>

A specially designed unified system for the safe and rapid production of autologous plasma rich in platelets and growth factors [PRP — Platelet Rich Plasma]



PRP OR PLASMA THERAPY using autologous plasma —

non-surgical recovery method and rejuvenation of the body, based on the injection of the patient's own blood plasma enriched with platelets and growth factors

The method has been widely used in various areas

- > traumatology and orthopedics
- > gynecology
- > dentistry
- > ophthalmosurgery
- > cosmetology
- > trichology

Advantages of the method

- > The effectiveness of autologous plasma therapy has been proven in multicenter randomized researches
- > Naturalness autoplasm is isolated from the patient's own blood, has a high degree of biocompatibility, so that the risk of allergic reactions is minimized

UNIVERSAL

one device for the entire PRP procedure with an adjustable volume of the resulting plasma


STERILE

a completely closed system eliminates the contact of the collected blood with the external environment

FAST

the plasma production process

- > Up to 8 ml of plasma in one syringe
- > Platelet concentration is 2 -2,5 times higher compared to whole blood



DETRIFEROL



Composition: colecalciferol 15 000 IU/ml




Release form:

bottle with dropper 15 ml No. 1

Dosage form:


drops for oral administration





- better than an oil solution
- > Suitable for children and adults
- > 4 flavors: orange, banana, cherry and anise







Indications for use

> prevention of vitamin D₃ deficiency and treatment of diseases associated with its deficiency for adults and children (4 weeks+)





Indications for use

- > prevention and treatment of acute respiratory viral infections for adults and children
- > strengthening immunity
- > recuperation

TREKREZAN®



Composition:

oxyethylammonium methylphenoxyacetate 200 mg



Release form:

tablets in a blister No. 10, 20



Composition:

oxyethylammonium methylphenoxyacetate 20 mg/ml



Release form: glass bottle 100 ml No. 1

Dosage form:

syrup for oral administration



> Stimulates the pathway α- and γ-interferons, providing prompt and long-lasting antiviral effect

PICODINAR





Composition: sodium picosulfate 7,5 mg/ml



Release form: multidoses 15, 30 ml No. 1

Dosage form: drops for oral administration



A mild laxative with a predictable effect

- > Stimulates the natural process of evacuation from the lower
- > Convenient to use due to the lack of connection with food intake



Indications for use

- > constipation caused by atony and hypotension of the colon
- > constipation caused by taking medications
- > constipation caused by intestinal dysbiosis, violation of diet
- > gallbladder diseases, irritable bowel syndrome with predominance of constipation



Indications for use

- > used to treat iron deficiency
- > for rapid replenishment of iron reserves with a clinical need
- > in patients who do not tolerate oral iron preparations or do not follow the treatment regimen
- > in the presence of active inflammatory bowel disease, when oral iron preparations are ineffective



Indications for use

- > relieves nasal and ocular symptoms of year-round and seasonal allergic rhinitis and allergic conjunctivitis: itching, sneezing, nasal congestion, rhinorrhea, lacrimation
- > relieves the symptoms of chronic idiopathic urticaria

*use for children from 6 to 12 months is possible only by doctor's prescription and under strict medical supervision

TRICOMBIA

RX



Composition: iron (III) hydroxide sucrose

Release form:

complex 20 mg/ml

CBP injection ampoules 2 ml No. 10, 5 ml No. 5

Dosage form: solution for intravenous

administration

SOLONEKS



6 months +



Composition: cetirizine 7,5 mg/ml

Release form: bottle with dropper 20 ml No. 1

Dosage form:

drops for oral administration

For the treatment of various types of allergies for adults and children (6 months +)

- > the action strarts in 20 minutes after taking
- > the effect up to 24 hours

GROTEX LLC,

tel.: +7 812 385 47 87 www.solopharm.com

> Saint Petersburg

Plant: Industrialny Ave., 71/2 lit. A

Office: Lvovskaya str., 27, business center

"Office L27"

> Moscow

Office: Butyrsky Val str., 10 Business Center "White Square"

SOLOPHARM

